I. Patient Identification (record all dates as mm/dd/yyyy)

*First Name	*Middle Na	me			*Last Name Last Name Sour		Name Soundex		
Alternate Name Type (ex: Alias, Married)	*First Nam	e		*Middle Name	*Last Name			e
Address Type Residential Bad addr	ess 🗆 Correc	tional facility	*Current	Address	s, Street				Address Date
□ Foster home □ Homele	ss 🗆 Military								//
Postal Delter Te *Phone City	mporary	County State/Country *ZIP Code							
*Medical Record Number	-	*Other ID Type			*Nur	nber			
U.S. Department of Health and Human Services Adult HIV Confidential Case Report Form (Patients ≥13 years of age at time of diagnosis) *Information NOT transmitted to CDC Conternation (CDC) I. Health Department Use Only (record all dates as mm/dd/yyyy) Form approved OMB no. 0920-0573 Exp. 02/28/2026									
Date Received at Health Department	y (record al	-	ocument UID				roved Of Number		o. 0920-0573 Exp. 02/28/2026
						o luite i	tamber		
Reporting Health Dept—City/County					City/County N	umber			
Document Source		Surveillar	nce Method	Active	e 🗆 Passive	□ Follow up	Reat	ostra	ction 🗆 Unknown
Did this report initiate a new case invest	stigation?	Report M		-ileal r	∃ 3-Faxed □ 4-		-1 tu - u :		
□ Yes □ No □ Unknown							lectroni	c tra	nsfer □ 6-CD/disk
III. Facility Providing Informati Facility Name	on (record	all dates a	as mm/dd/yy	ууу)		*Phone			
*Street Address									
City Cour	ity		:	State/C	ountry	*ZIP Co	ode		
Facility Inpatient:	<u>Outpatient</u> : □		_		<u>g, Diagnostic, Ref</u>	erral Agency:			<i>ity</i> : □ Emergency room
Type □ Hospital □ Other, specify	□ Adult HIV clin				☐ STD clinic specify				ry Corrections Unknown ecify
Date Form Completed			mpleting For			*Phone		si, sp	ecity
·//_						())		
IV. Patient Demographics (reco	ord all dates	s as mm/de	d/yyyy)						
Sex Assigned at Birth		own	Country of E	Birth 🗆	US Other/US	S dependency ((specify))	
Date of Birth / / /					ate of Birth	//			
Vital Status 1-Alive 2-Dead			:h/			State of Death	1		
□ Additional	Woman □ □ gender identil o answer □ □	ty (specify) _	man □ Tra	Insgend	er woman				
Sexual Orientation Straight of	heterosexual	🗆 Lesbia	n or gay 🛛	Bisexua	I				
	sexual orienta o answer □		/)						
Date Identified/									
Ethnicity	atino 🗆 Not	Hispanic/Lat	tino 🗆 Unkno	own	Expanded Ethnicity				
	Indian/Alaska waiian/Other F				ican American □ Unknown	Expanded Rac	ce		
V. Residence at Diagnosis (add						s as mm/dd/\	/////		
Address Event Type						<u>o ao min, aa, j</u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
(check all that apply to address below)									
Address Type	dress Corr	ectional facili	ty 🛛 Foster h	ome 🗆	Homeless D M	ilitary		stal	□ Shelter □ Temporary
*Street Address									
City Cou	nty		Sta	ate/Cou	ntry			*Z	IP Code
Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to CDC, Project Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0573). Do not send the completed form to this address.									
CDC 50.42A		23 (Page 1 o			-ADULT HIV CO				

VI. Facility	of Diagnosis (add	additional	I facilities in Comments	:s)					
Diagnosis Type	e (check all that apply to	o facility belo	ow) □ HIV □ Stage 3	(AIDS) □ Check if <u>SAME</u> as facili	ity providing	informa	ation		
Facility Name					*Phone ()			
*Street Addres	S								
City County S			State/Country *ZIP Code						
Facility Type	Inpatient: □ Hospital □ Other, specify	□ Adult HIV	□ Private physician's office / clinic ecify	CTS STD clinic		<u>Dther Facility</u> : □ Emergency room 〕Laboratory □ Corrections □ Unknown 〕Other, specify			Unknown
Provider Name *Provider Phone () Specialty									
VII. Patient	History (respond t	to all ques	tions) (record all dates	s as mm/dd/vvvv)	n Pediatr	ric Ri:	sk (ent	er in C	comments)
			osis of HIV infection, this p						
Sex with male						□ Ye	s 🗆 No) 🗆 U	Jnknown
Sex with female						□ Yes	s 🗆 No	, □U	Jnknown
Injected nonpres	scription drugs	l				□ Ye	s 🗆 No) 🗆 U	Jnknown
Received clottin	ng factor for hemophilia/o	coagulation c	disorder			□ Ye	s 🗆 No) 🗆 U	Jnknown
Specify clotting				Date received //					
	AL relations with any								
	AL contact with person v		drugs			□ Ye		-	Jnknown
HETEROSEXU	AL contact with bisexual	i male				□ Ye	s 🗆 No) 🗆 U	Jnknown
HETEROSEXUAL contact with person with hemophilia/coagulation disorder with documented HIV infection						□ Ye	s 🗆 No) 🗆 U	Jnknown
HETEROSEXU	AL contact with transfus	ion recipient	with documented HIV infect	tion		□ Ye	s 🗆 No	, □U	Jnknown
HETEROSEXU	AL contact with transpla	Int recipient V	with documented HIV infection	on		□ Ye	s 🗆 No	, □U	Jnknown
HETEROSEXU	AL contact with person	with docume	ented HIV infection, risk not	specified		□ Ye	s 🗆 No	, □ U	Jnknown
Received transfusion of blood/blood components (other than clotting factor) (document reason in Comments)						s 🗆 No	, □U	Jnknown	
First date receiv	/ed//	Las	st date received/	_/					
Received transp	plant of tissue/organs or	artificial inse	emination			□ Ye	s 🗆 No	, 🗆 U	Jnknown
Worked in a healthcare or clinical laboratory setting					□ Ye	s 🗆 No	, 🗆 U	Jnknown	
	exposure is being invest e of exposure, specify o	0							
Other document	ted risk (include detail in	Comments)				□ Ye	s 🗆 No) 🗆 U	Jnknown
VIII. Clinica	I: Acute HIV Infe	ction and	Opportunistic Illne	sses (record all dates as mm	n/dd/yyyy)				
and enter patient c Clinical signs/sy lymphadenopat	or provider report of previou ymptoms consistent with thy)? Date of sign/sym	<i>us negative HIN</i> h acute retrov nptom onset	V test result in HIV Testing Histo viral syndrome (e.g., fever, i	malaise/fatigue, myalgia, pharyngiti	s. rash.	ction,	□ Yes	□ No	Unknown Unknown Unknown
Date of evidence									
Opportunistic I	llnesses		D : 1						D (

Opportunistic linesses					
Diagnosis	Dx Date	Diagnosis	Dx Date	Diagnosis	Dx Date
Candidiasis, bronchi, trachea, or lungs		Herpes simplex: chronic ulcers (>1 mo. duration), bronchitis, pneumonitis, or esophagitis		M. tuberculosis, pulmonary ¹	
Candidiasis, esophageal		Histoplasmosis, disseminated or extrapulmonary		M. tuberculosis, disseminated or extrapulmonary ¹	
Carcinoma, invasive cervical		Isosporiasis, chronic intestinal (>1 mo. duration)		Mycobacterium, of other/unidentified species, disseminated or extrapulmonary	
Coccidioidomycosis, disseminated or extrapulmonary		Kaposi's sarcoma		Pneumocystis pneumonia	
Cryptococcosis, extrapulmonary		Lymphoma, Burkitt's (or equivalent)		Pneumonia, recurrent, in 12 mo. period	
Cryptosporidiosis, chronic intestinal (>1 mo. duration)		Lymphoma, immunoblastic (or equivalent)		Progressive multifocal leukoencephalopathy	
Cytomegalovirus disease (other than in liver, spleen, or nodes)		Lymphoma, primary in brain		Salmonella septicemia, recurrent	
Cytomegalovirus retinitis (with loss of vision)		Mycobacterium avium complex or M. kansasii, disseminated or extrapulmonary		Toxoplasmosis of brain, onset at >1 mo. of age	
HIV encephalopathy				Wasting syndrome due to HIV	

¹If a diagnosis date is entered for either tuberculosis diagnosis above, provide RVCT Case Number:

 Facility Name
 Provider Name

 Result
 Positive
 Negative
 Indeterminate
 Collection Date
 /___/

 Testing Option
 (if applicable)
 Point-of-care test by provider
 Self-test, result directly observed by a provider²
 Lab test, self-collected sample

IX. Laboratory Data (record additional tests and tests not specified below in Comments) (record all dates as mm/dd/yyyy) (cont)

TEST I HIV-1/2 Ag/Ab differentiating immunoassay (differentiates between HI	
Test Brand Name/Manufacturer	Lab Name
Facility Name Result Overall: Reactive	Collection Date / /
Analyte results: HIV-1 Ag: Reactive Nonreactive HIV-1/2 Ab	
Testing Option (if applicable) Point-of-care test by provider Self-test, res	ult directly observed by a provider ² Lab test, self-collected sample
TEST D HIV-1/2 Ag/Ab and type-differentiating immunoassay (differentiates an	nong HIV-1 Ag, HIV-1 Ab, and HIV-2 Ab)
Test Brand Name/Manufacturer	Lab Name
Facility Name	Provider Name
Result ³ Overall interpretation: Reactive Nonreactive Index Value Analyte results: HIV-1 Ag: Reactive Nonreactive Not reportation	CONECTION DATE///
HIV-1 Ab: □ Reactive □ Nonreactive □ Reactive □	ndifferentiated Index Value
HIV-2 Ab: 🗆 Reactive 🛛 Nonreactive 🗆 Reactive u	ndifferentiated Index Value
Testing Option (if applicable) Point-of-care test by provider Self-test, res	ult directly observed by a provider ² Lab test, self-collected sample
TEST I HIV-1/2 type-differentiating immunoassay (supplemental) (differentiate	,
Test Brand Name/Manufacturer	Lab Name
Facility Name	vith HIV-2 cross-reactivity
	/-1 indeterminate □ HIV-2 indeterminate □ HIV-1 positive □ HIV-2 positive
Analyte results: HIV-1 Ab: Positive Negative Indeterminate	Collection Date / /
HIV-2 Ab: Positive Negative Indeterminate	
Testing Option (if applicable) Point-of-care test by provider Self-test, res	ult directly observed by a provider ² Lab test, self-collected sample
TEST I HIV-1 WB I HIV-1 IFA I HIV-2 WB	l ah Namo
Test Brand Name/Manufacturer	Provider Name
Facility Name	Collection Date//
Testing Option (if applicable) Point-of-care test by provider Self-test, res	ult directly observed by a provider ² Lab test, self-collected sample
HIV Detection Tests	
TEST I HIV-1/2 RNA NAAT (Qualitative)	Lab Name
Test Brand Name/Manufacturer	_ Provider Name//
Result □ HIV-1 □ HIV-2 □ Both (HIV-1 and HIV-2) □ HIV, not differentia	
Testing Option (if applicable)	
TEST D HIV-1 RNA NAAT (Qualitative and Quantitative)	
Test Brand Name/Manufacturer	Lab Name
Facility Name	Provider Name
DESUL GUALIAUVE I DESCUVE I NOOLESCUVE	
Analyte results: HIV-1 Orantitative: □ Detectable above limit □ Detectable	conection Date / / /
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable abov	ectable within limits 🛛 Detectable below limit
Analyte results: HIV-1 Quantitative: Detectable Detectable Detectable Testing Option (if applicable) Detectable Point-of-care test by provider Self-test, rest	actable within limits □ Detectable below limit Copies/mL Log ult directly observed by a provider ² □ Lab test, self-collected sample
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT HIV-1 Culture HIV-2 RNA/DNA	ctable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 HIV-2 RNA/ Test Brand Name/Manufacturer	ctable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 HIV-2 RNA/ Test Brand Name/Manufacturer	Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 HIV-2 RNA/ Test Brand Name/Manufacturer	cctable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 HIV-2 RNA/ Test Brand Name/Manufacturer	cctable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 Culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 Culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date //
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date //
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date //
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date /
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date / t directly observed by a provider ² Lab test, self-collected sample antitative) Lab test, self-collected sample Lab Name Provider Name w limit Not detected Copies/mL Log Test Brand Name/Manufacturer Facility Name Collection Date /
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cobies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cobies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cobies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cobies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name

X. Treatment/Services	Referrals	(record all dates a	as mm/dd/yyyy)
		·····	

A. ITeaune	and Services Referrals (record an da	165 as iii	m/dd/yyyy)					
	Has this patient been informed of his/her HIV infection? This patient's partners will be notified about their HIV exposure and counseled by □ Yes □ No □ Unknown □ 1-Health dept □ 2-Physician/Provider □ 3-Patient □ 9-Unknown							
Evidence of receipt of HIV medical care other than laboratory test result (select one; record additional evidence in Comments) □ 1-Yes, documented □ 2-Yes, client self-report, only Date of medical visit or prescription//								
For Female			cal visit of prescription	//				
This patient is	s receiving or has been referred for gynecol					atient delivere		infants?
	rvices 🗆 Yes 🗆 No 🗆 Unknown		□ Yes □ No □ Unl			No 🗆 Unkno	own	
	n of Patient (record most recent birth in these	boxes; rec	ord additional or multipl			(D) ()		
*Child's Name			Obilalla Otata Nambar	Chi	Id's Date o	of Birth	//	
	Name Soundex		Child's State Number		*Dhana			
	orn at home, enter "home birth")				*Phone ()			
Facility Type		<u>patient:</u>		Other Facilit				
□ Hospital □ Other, specify □ Corrections □ Unknown								
	Other, specify			Other, spe				
*Street Addre	SS				*ZIP Code			
City		County			State/Cou	ntry		
XI. Antiretr	roviral Use History (record all dates	as mm/do	d/yyyy)					
Main source o	of antiretroviral (ARV) use information (selectivity) with the selection of the selection o	t one) ovider repor	rt 🗆 NHM&E 🗆	Other		atient reported	informatior	n
	y ARVs? □ Yes □ No □ Unknown							
	for ARV use (select all that apply)							
	ARV medications		Date began/	1	Date	of last use	1 1	
	ARV medications					of last use		
	ARV medications					of last use		
	ARV medications					of last use		
	ARV medications		_ Date began /	/	_ Date of	of last use	_//	
	ify reason)							
	ARV medications		_ Date began /	/	_ Date of	of last use	_//	
XII. HIV Te	sting History (record all dates as m	n/dd/yyyy)					
	of testing history information (select one)				Da	te patient repo	orted inform	nation
	view					//		
Ever had prev	vious positive HIV test result? Yes No	o 🗆 Unkn	nown Date of first pe	ositive HIV test r	esult	_//		
Was the first	positive test result from a self-test performe	d by the p	atient? □ Yes □ No	Unknown				
Ever had a ne	egative HIV test result? Yes No U	nknown		gative HIV test re est type, enter in L			/	
Was the last I	negative test result from a self-test performe	ed by the p	atient? Yes No	Unknown				
	gative HIV test results within the 24 months				nknown			
How many of	these negative test results were from self-te	ests perfor	med by the patient?	Unkno	wn			
XIII. Comm	ents							
	CK OOS STATE:		If	pregnant, list	FDD (d	ve dete).	/	1
	C#			pregnant, iist	EDD (u	uc uate)	/	_/
	<i></i>							
T : : : : : : : :								
Link with	e-HARS stateno(s):							
XIV. *Loca	l/Optional Fields					NIR Statu	1S:	
STARS#				N	IR OP	Date:	/	1
Other Riel	s: A B/C D F M				IR CL	Date:		
							/	_/
	A B C Other UNK	nown		N	IR RE	Date:	/	_/
Test & Tr	eat (Yes/No)			Initials((3)	Source	code:	
purposes but m Surveillance Sy	EDC is authorized by law (Sections 304 and 306 of the may be mandatory under state and local statutes. Your estem that would permit identification of any individual s stated in the assurance, and will not otherwise be dis USC 242m).	cooperation on whom a re	is necessary for the unders ecord is maintained is colle	standing and control	of HIV. Infor ee that it will	rmation in CDC's be held in confide	National HIV ence, will be u	sed only