I. Patient Identification (record all dates as mm/dd/yyyy)

*First Name	*Middle Nam	е		*L	ast Nam	e		Last Name Soundex
Alternate Name Type (example: Birth, Ca	all Me) *Firs t	st Name *Middle Name			*	Last Name		
Address Type Residential Bad addr	ess	onal facility	*Curren	t Addre	ss, Street	t		Address Date
	□ Foster home □ Homeless □ Military □ Other							
□ Postal □ Shelter □ Te *Phone City	emporary	County State/Cour			State/Cou	under a	//	
		00	inty			State/Cou	-	
*Medical Record Number		*(Other ID 1	Гуре			*Number	
	di	rs at time of µ agnosis) *Inf	perinatal e formation	exposure NOT trai	or patien	ts aged <13	3 years at time of	Centers for Disease Control and Prevention (CDC) MB no. 0920-0573 Exp. 02/28/2026
Date Received at Health Department		eHARS Do	cument L	JID			State Numl	ber
// Reporting Health Dept—City/County		<u> </u>		City/Co	unty Num	iber		
Document Source		Surveilland	ce Metho	d 🗆 Acti	ve 🗆 Pa	assive 🗆 I	Follow up 🛛 Real	bstraction 🗆 Unknown
Did this report initiate a new case inves	stigation?	Report Me		-Mailed	□ 3-Fax	ked □ 4-I	Phone	tronic transfer 🛛 6-CD/disk
III. Facility Providing Informati	on (record a	all dates as	s mm/dd	/уууу)				
Facility Name							* Phone ()	
*Street Address								
-	ounty			Stat	e/Countr	У		*ZIP Code
Facility Inpatient: Hospital Type Other, specify		: □ Private ph HIV clinic □						gency room □ Laboratory specify
Date Form Completed // / /// // // // /// /// /// /// /// /// /// /// /// /// /// /// /// / / /// /// / / /// / / / / / / / / / / / / / / / / / / /		*Person Cor	mpleting	Form			*Phone ()	
IV. Patient Demographics (reco	ord all dates	as mm/dd/	уууу)					
Diagnostic Status at Report □ 3-Perina □ 4-Pediatric HIV □ 5-Pediatric AIDS	□ 6-Pediatric s	eroreverter	Male	signed a e □ Fen	nale 🗆 U	Inknown E	Birth (spec	C □ Other/US dependency
Date of Birth / / /					Alias Da	ate of Birth	n//	
Vital Status 1-Alive 2-Dead	Date of I	Death	_/				State of Death	
Date of Last Medical Evaluation					of Initial	Evaluation	n for HIV/	'I
Gender Identity		-	-					
□ Additional gender ide								
Date Identified / / / /								
Sexual Orientation Straight or heteror Additional sexual								
□ Declined to answ								
Date Identified / / /								
Ethnicity Hispanic/Latino Not Hispa	anic/Latino 🗆 🛛	Jnknown				Exp	anded Ethnicity	
Race□ American Indian(check all that apply)□ Native Hawaiian						Exp	anded Race	
V. Residence at Diagnosis (add	l additional a						as mm/dd/yyyy	
Address Event Type Residence at HIV Residence at stage Residence at stage Residence at at at at at apply to address below) Residence at At at apply to address below Residence at at at at at apply to address below Residence at at at at at apply to address below Residence at at at at at apply to address below Residence at at at at at apply to address below Residence at at at at at apply to address below Residence at at at at at apply to address below Residence at at at at at at at apply to address below Residence at at								
Address Type Residential Bad add	dress 🗆 Corre	ctional facility	Foste	er home	□ Homel	ess 🗆 Mili	tary 🗆 Other 🗆	Postal 🗆 Shelter 🗆 Temporary
*Street Address								
City	County			State	/Country	,		*ZIP Code
Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to CDC, Project Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0573). Do not send the completed form to this address.								
This report to CDC is authorized by law (Sections may be mandatory under state and local statutes. permit identification of any individual on whom a r will not otherwise be disclosed or released withou	Your cooperation ecord is maintaine	is necessary for d is collected wi	r the unders ith a guarant	tanding an tee that it v	d control of vill be held i	HÍV. Informati n confidence,	ion in CDC's National H will be used only for the	IV Surveillance System that would e purposes stated in the assurance, and

VI. Facility of Diagnosis (add additional facilities in Comments)

-	of Blaghosis (add				- 01 - 1 / 0 4			11 1 1 1
Diagnosis Type (check all that apply to facility below) \Box HIV \Box Stage 3 (AIDS) \Box Perinatal exposure \Box Check if <u>SAME</u> as facility providing information								
Facility Name	Facility Name *Phone ()							
*Street Address								
City		County		State/Country	*:	ZIP Code		
Facility Type	Inpatient: □ Hospital	<u>Outpatient</u> :	□ Private physiciar	i's office	Other Faci	<i>lity</i> : □ Emerg	ency roc	om 🗆 Laboratory
	Other, specify	Pediatric H	HV clinic D Other	, specify	Unknown	n 🗆 Other, s	pecify _	
*Provider Name *Provider Phone () Specialty								
VII. Patient	History (respond	to all questions) (rec	ord all dates	as mm/dd/www)				
□ Known HIV+	+ before pregnancy □ K	us (select one): □ Refuse nown HIV+ during pregnan V+, time of diagnosis unkno	cy □ Known HI	/+ sometime before birth		delivery		
	Date of birthing person's first positive test result to confirm infection/// Child breastfed/chestfed by birthing person □ Yes □ No □ Unknow Child received premasticated/pre-chewed food from birthing person □ Yes □ No □ Unknown							
After 1977 and	After 1977 and before the earliest known diagnosis of HIV infection, the birthing person had:							
Perinatally acquired HIV infection						□ Yes	□ No	Unknown
Injected nonprescription drugs						🗆 No	Unknown	
Birthing person had HETEROSEXUAL relations with any of the following:								
HETEROSEXUAL contact with person who injected drugs							Unknown	
HETEROSEXU	HETEROSEXUAL contact with bisexual male							Unknown
HETEROSEXU	HETEROSEXUAL contact with person with hemophilia/coagulation disorder with documented HIV infection							Unknown

HETEROSEXUAL contact with person with hemophilia/coagulation disorder with documented HIV infection	🗆 Yes	□ No	Unknown
HETEROSEXUAL contact with transfusion recipient with documented HIV infection	□ Yes	□ No	Unknown
HETEROSEXUAL contact with transplant recipient with documented HIV infection	□ Yes	□ No	Unknown
HETEROSEXUAL contact with person with documented HIV infection, risk not specified	🗆 Yes	□ No	Unknown
Birthing person had:			
Received transfusion of blood/blood components (other than clotting factor) (document reason in Comments)	🗆 Yes	🗆 No	Unknown
First date received// Last date received///			
Received transplant of tissue/organs or artificial insemination	🗆 Yes	□ No	Unknown
Before the diagnosis of HIV infection, this child had:			
Injected nonprescription drugs	🗆 Yes	🗆 No	Unknown
Received clotting factor for hemophilia/coagulation disorder	🗆 Yes	🗆 No	Unknown
Specify clotting factor: Date received///			
Received transfusion of blood/blood components (other than clotting factor) (document reason in Comments)	□ Yes	🗆 No	Unknown
First date received// Last date received///			
Received transplant of tissue/organs	🗆 Yes	□ No	Unknown
Sexual contact with male	🗆 Yes	□ No	Unknown
Sexual contact with female	🗆 Yes	□ No	Unknown
Been breastfed/chestfed by non-birthing person	□ Yes	□ No	Unknown
Received premasticated/pre-chewed food from non-birthing person	🗆 Yes	□ No	Unknown
Other documented risk (include detail in Comments)	□ Yes	□ No	Unknown

VIII. Clinical: Opportunistic Illnesses (record all dates as mm/dd/yyyy)

Diagnosis	Dx Date	Diagnosis	Dx Date	Diagnosis	Dx Date
Bacterial infection, multiple or recurrent		HIV encephalopathy		Mycobacterium avium complex or M.	
(including Salmonella septicemia)				kansasii, disseminated or extrapulmonary	
Candidiasis, bronchi, trachea, or lungs		Herpes simplex: chronic ulcers (>1 mo. duration), bronchitis, pneumonitis, or esophagitis		M. tuberculosis, pulmonary ¹	
Candidiasis, esophageal		Histoplasmosis, disseminated or extrapulmonary		M. tuberculosis, disseminated or extrapulmonary ¹	
Carcinoma, invasive cervical		Isosporiasis, chronic intestinal (>1 mo. duration)		Mycobacterium, of other/unidentified species, disseminated or extrapulmonary	
Coccidioidomycosis, disseminated or extrapulmonary		Kaposi's sarcoma		Pneumocystis pneumonia	
Cryptococcosis, extrapulmonary		Lymphoid interstitial pneumonia and/or pulmonary lymphoid		Pneumonia, recurrent in 12 mo. period	
Cryptosporidiosis, chronic intestinal (>1 mo. duration)		Lymphoma, Burkitt's (or equivalent)		Progressive multifocal leukoencephalopathy	
Cytomegalovirus disease		Lymphoma, immunoblastic (or equivalent)		Toxoplasmosis of brain, onset at >1 mo.	
(other than in liver, spleen, or nodes)				of age	
Cytomegalovirus retinitis (with loss of vision)		Lymphoma, primary in brain		Wasting syndrome due to HIV	
¹ If a diagnosis date is entered for either tub	erculosis diagnosis	above, provide RVCT Case Number:			

CDC 50.42B

IX. Laboratory Data (record additional tests and tests not specified below in Comments) (record all dates as mm/dd/yyyy) HIV Immunoassavs TEST 🗆 HIV-1 IA 🗆 HIV-1/2 IA 🗆 HIV-1/2 Ag/Ab 🗆 HIV-2 IA Test Brand Name/Manufacturer Lab Name Facility Name Provider Name Collection Date ____/ ___ /____/ **Result** Positive Negative Indeterminate Testing Option (if applicable) Devint-of-care test by provider Definest, result directly observed by a provider² Lab test, self-collected sample **TEST** D HIV-1/2 Ag/Ab differentiating immunoassay (differentiates between HIV Ag and HIV Ab) Lab Name Test Brand Name/Manufacturer Provider Name Facility Name Collection Date ____/___/____/ **Result Overall:** □ Reactive □ Nonreactive Analyte results: HIV-1 Ag: Reactive Nonreactive HIV-1/2 Ab: Reactive Nonreactive Testing Option (if applicable) 🗆 Point-of-care test by provider 🗆 Self-test, result directly observed by a provider² 🗆 Lab test, self-collected sample **TEST** I HIV-1/2 Ag/Ab and type-differentiating immunoassay (differentiates among HIV-1 Ag, HIV-1 Ab, and HIV-2 Ab) ____Lab Name _____ Provider Name ____ Test Brand Name/Manufacturer Facility Name Result³ Overall interpretation: Reactive Nonreactive Index Value Collection Date ___/__/___/ Analyte results: HIV-1 Ag: Reactive Nonreactive Not reportable due to high Ab level Index Value HIV-1 Ab: □ Reactive □ Nonreactive □ Reactive undifferentiated Index Value HIV-2 Ab: Reactive Nonreactive Reactive undifferentiated Index Value Testing Option (if applicable) Dent-of-care test by provider Definest, result directly observed by a provider² Lab test, self-collected sample **TEST** I HIV-1/2 type-differentiating immunoassay (supplemental) (differentiates between HIV-1 Ab and HIV-2 Ab) Test Brand Name/Manufacturer Lab Name Facility Name Provider Name Result⁴ Overall interpretation: 🗆 HIV positive, untypable 🗆 HIV-1 positive with HIV-2 cross-reactivity 🗆 HIV-2 positive with HIV-1 cross-reactivity □ HIV negative □ HIV indeterminate □ HIV-1 indeterminate □ HIV-2 indeterminate □ HIV-1 positive □ HIV-2 positive Analyte results: HIV-1 Ab: Positive Negative Indeterminate Collection Date / / HIV-2 Ab: □ Positive □ Negative □ Indeterminate Testing Option (if applicable) Dent-of-care test by provider Definest, result directly observed by a provider² Lab test, self-collected sample TEST D HIV-1 WB D HIV-1 IFA D HIV-2 WB Test Brand Name/Manufacturer Lab Name Facility Name Provider Name **Result** Positive Negative Indeterminate Collection Date ____/___/__ Testing Option (if applicable) Dent-of-care test by provider Definest, result directly observed by a provider² Lab test, self-collected sample **HIV Detection Tests** Lab Name Test Brand Name/Manufacturer Provider Name Collection Date ____ / ___ / ___ / Facility Name **Result** I HIV-1 I HIV-2 Both (HIV-1 and HIV-2) HIV, not differentiated (HIV-1 or HIV-2) Neither (negative) Testing Option (if applicable) District Point-of-care test by provider Self-test, result directly observed by a provider Lab test, self-collected sample **TEST** I HIV-1 RNA NAAT (Qualitative and Quantitative) Test Brand Name/Manufacturer Lab Name Facility Name Provider Name **Result** *Qualitative:* Reactive Nonreactive Collection Date ____ / ___ / ___ / Analyte results: HIV-1 Quantitative: Detectable above limit Detectable within limits Detectable below limit Copies/mL Loa Testing Option (if applicable) Dent-of-care test by provider Definest, result directly observed by a provider² Lab test, self-collected sample TEST DHIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/DNA NAAT (Qualitative) HIV-2 culture Test Brand Name/Manufacturer Lab Name Provider Name Facility Name Collection Date ___ /__ /__ **Result** Positive Negative Indeterminate **Testing Option** (if applicable) Dent-of-care test by provider Delt-test, result directly observed by a provider² Lab test, self-collected sample **TEST** D HIV-1 RNA/DNA NAAT (Quantitative) D HIV-2 RNA/DNA NAAT (Quantitative) Test Brand Name/Manufacturer Lab Name Facility Name Provider Name **Result** Detectable above limit Detectable within limits Detectable below limit Not detected **Copies/mL** Loa Collection Date ___ / __ / __ / __ __ Testing Option (if applicable) Dent-of-care test by provider Definest, result directly observed by a provider² Lab test, self-collected sample Drug Resistance Tests (Genotypic) **TEST** HIV-1 Genotype (Unspecified) Test Brand Name/Manufacturer Facility Name Lab Name Collection Date ___/__ /___ /___ ___ Provider Name Immunologic Tests (CD4 count and percentage) CD4 count _ cells/µL CD4 percentage _____ % Collection Date ____ /__ /__ __ __ Test Brand Name/Manufacturer Lab Name Facility Name Provider Name

IX. Laboratory Data (r	ecord additional test	s and tests not spec	ified below	w in Comments) (record all da	tes as minidu/y	yyy) (cont)
Documentation of Tests							
Did documented laboratory							
If YES, provide specimen c Complete the above only if n	one of the following were r	positive test result for	this algorit	nm//	/ /e_NAAT (RNA or)	DNA) qualitative l	JAAT (RNA or
DNA), HIV-1/2 type-differenti						orniy, quantativo r	
Is earliest evidence of diag	nosis HIV-infected	🗆 Yes 🗆 No 🗆 Unk	nown	Date of diagn	osis by physician	//	
documented by a physician than by laboratory test res		ed □ Yes □ No □ Unk	nown	Date of diagn	osis by physician	//	
² Results not directly observed b		rded in HIV Testing Histor	V				
³ Complete the overall interpreta ⁴ Always complete the overall inte	ation and the analyte results						
X. Birth History (for pa	tients exposed perin	atally with or withou	ut conseq	uent infection)			
Birth history available?	Yes No Unknown			· · · ·			
Residence at Birth	Check if SAME as current	taddress					
Address Type	I □ Bad address □ Corr	rectional facility 🛛 Foste	rhome 🗆 H	Homeless 🗆 Milita	ary 🗆 Other 🗆 P	ostal 🗆 Shelter	□ Temporary
*Street Address		City					
County		State/Country			*ZIP Code		
Facility of Birth	Check if SAME as facility	providing information					
Facility Name of Birth		1 5			*Phone		
(if child was born at home, er	nter "home birth")				()		
Facility Type Inpatient	: 🗆 Hospital	Outpatient:		Other F	acility: Emergency	y room 🛛 Correctio	ns 🗆 Unknown
□ Other,	specify	□ Other, specify		O Othe	r, specify		
*Street Address				City			
County		State/Country			*ZIP Code		
Birth History	Birth Weight	lbs oz	grams	Type D 1-Sing	le 🗆 2-Twin 🗆 3	-More than two	9-Unknown
Delivery Vaginal Cesa	arean 🗆 Unknown						
If Cesarean delivery, mark		ons that apply.					
□ HIV indication (high viral lo		Previous Cesarean (• •		Malpresenta	ation (breech, trans	sverse)
Prolonged labor or failure t	1 0	□ Birthing person's or			Fetal distres	SS	
Placenta abruptia or p. pre	via	□ Other (e.g., herpes,	disproportio	n) (Specify)			
Not specified Birth Information	Data		Time (use	military times no	on = 12:00; midni	abt = 00.00	
	membranes Date			•	on = 12:00; midni	gnt = 00:00)	
Delivery				_			
Congenital Disorders	□ Yes □ No □ Unknow	wn If YES, specify ty	pes				
Neonatal Status D 1-Full-1	erm 🗆 2-Premature 🗆 9	9-Unknown Neon	atal Gestat	ional Age in Wee	ks (99 = Unk	nown, 00 = None)	
Was a toxicology screen		I			sult		
done on the infant		Not screened	Date	of screen	Positive	Negative	Unknown
after birth?	Alcohol		/	_/			
🗆 Yes 🗆 No 🗆 Unknown	Amphetamines		/	_/			
(If screening for the same	Barbiturates		/	_/			
substance was done on	Benzodiazepines		/	_/			
more than one occasion, record additional dates and	Cocaine		/	_/			
results in Comments)	Crack cocaine		1	1			
,			/				
			/				
	Fentanyl		/	_/			
	Fentanyl Hallucinogens			_/ _/			
	Fentanyl Hallucinogens Heroin						
	Fentanyl Hallucinogens Heroin K2						
	Fentanyl Hallucinogens Heroin K2 Marijuana						
	Fentanyl Hallucinogens Heroin K2 Marijuana (cannabis, THC, cannabing						
	Fentanyl Hallucinogens Heroin K2 Marijuana (cannabis, THC, cannabino Methadone						
	Fentanyl Hallucinogens Heroin K2 Marijuana (cannabis, THC, cannabino Methadone Methamphetamines						
	Fentanyl Hallucinogens Heroin K2 Marijuana (cannabis, THC, cannabino Methadone Methamphetamines Nicotine (any tobacco)						
	Fentanyl Hallucinogens Heroin K2 Marijuana (cannabis, THC, cannabino Methadone Methamphetamines Nicotine (any tobacco) Opiates						
	Fentanyl Hallucinogens Heroin K2 Marijuana (cannabis, THC, cannabino Methadone Methamphetamines Nicotine (any tobacco) Opiates PCP						
	Fentanyl Hallucinogens Heroin K2 Marijuana (cannabis, THC, cannabino Methadone Methamphetamines Nicotine (any tobacco) Opiates						

XI. Birthing Person History (for patients exposed perinatally with or without consequent infection)

Birthing Person Date of Birth	_//	_	Birthing Person Last Name Soundex				
Birthing Person Country of Birth			Birthing Person State ID Number				
Birthing Person City/County ID No	umber		*Other Birthing Person ID (specify type of ID and ID number)				
Prenatal Care—Month of Pregnan (99 = Unknown, 00 = None)	cy Prenatal Care Be	egan	Prenatal Care- (99 = Unknown,	-Total Number of Pr 00 = None)	enatal Care Visits		
Has the birthing person ever been p	regnant If YES,	, specify how many pre					
before this pregnancy? Include prev	vious		ncy outcome (se		Year outcome oc		
pregnancies that ended in a live birt		Live birth Miscarr	age or Stillbirth	Induced abortion	(9999 = Unkno	wn)	
miscarriage, stillbirth, or induced ab	ortion.					_	
🗆 Yes 🗆 No 🗆 Unknown	 III.					_	
	iv.					_	
	V.					_	
Was a test result (with a specimer	n collection date wit		before delivery)	documented in the	birthing person's	abor/delivery record	
CD4 Given Yes Given No Given Unknown Did birthing person receive any a		AT (RNA or DNA) □ Y) prior to this pregnan			nknown		
Date began / / /		of last use / /					
If YES, specify all ARVs							
Did birthing person receive any A	RVs during this pre	gnancy? □ Yes □ N	o □ Refused □	Unknown			
Date began / / / /		of last use $_$ $_/$ $_$		Children			
If YES, specify all ARVs	Dute e						
If NO, select reason	al care	rson known to be HIV-n	egative during pr		n		
□ HIV serostatus of birthing person					11		
Did birthing person receive any A				Linknown			
	-	-		UTIKITUWIT			
Date began / / / /		of last use//	_/				
If YES, specify all ARVs			wastatus of hinthi		Disthurstin heari		
If NO, select reason □ Precipitous □ Birthing person tested HIV negative			erostatus of dirthi	ng person unknown	Birth not in nospi	⊔ Unknown	
Was the birthing person screened			a this presson	.0			
Check test(s) performed bef		wing conditions during	g this pregnancy	/ ?			
Yes	Date of screen	(mm/dd/vvvv)	No Unkno	wn			
Group B strep	//						
Hepatitis B (HBsAg)							
Rubella 🛛							
Syphilis 🛛							
Were any of the following condition			his pregnancy or	at the time of labor a	and delivery?		
······································	-	te of diagnosis (mm/do		Unknown	, , .		
Bacterial vaginosis			,,,,,,				
Chlamydia trachomatis infectio							
Genital herpes							
Gonorrhea							
Group B strep							
Hepatitis B (HBsAg)							
Hepatitis C							
PID							
Syphilis							
Trichomoniasis		<u> </u>					
Were substances used by the birt	hing person during	this pregnancy?	s □ No □ Unkr	nown			
			Use	ed and unknown			
Alcohol	Used and	-	•	if injected	Did not use	Unknown if used	
Amphetamines							
Barbiturates							
Benzodiazepines							
Cocaine							
Crack cocaine							
Fentanyl							
Hallucinogens							
Heroin							
K2							
Marijuana (cannabis, THC, cannabinoid							
Manjuaria (cannabis, rrie, cannabilioid Methadone	s) [
Methamphetamines							
Nicotine (any tobacco)							
Opiates							
PCP							
Other (specify)							
Specific drug(s) not documented CDC 50.42B							
UDU 50.42B	Rev. 01/2023	(Page 5 of 6)	PEL	DIATRIC HIV CONFIDE	EN HAL GAGE KEPU		

XI. Birthing Person History (for patients exposed perinatally with or without consequent infection) (cont)

Was a toxicology screen done on the birt (If screening for the same substance was do	•••	• • • •			iown
(in screening for the same substance was do	Not screened	Date of screen	Positive	Negative	Unknown
Alcohol		//			
Amphetamines		//			
Barbiturates		/			
Benzodiazepines		<u> </u>			
Cocaine		/			
Crack cocaine		/			
Fentanyl		//			
Hallucinogens		/			
Heroin		/			
K2		//			
Marijuana (cannabis, THC, cannabinoids)		//			
Methadone		/			
Methamphetamines		/			
Nicotine (any tobacco)		/			
Opiates		//			
PCP		/			
Other (specify)		/			
Specific drug(s) not documented		//			

XII. Treatment/Services Referrals (record all dates as mm/dd/yyyy)

Has this child ever taken any ARVs?
Yes No Unknown

ARV medication		Reason for use			ISE	Date began	Date of last use	
	HIV Tx	PrEP	PEP	PMTCT	HBV Tx	Other (specify reason)		
i						□	//	//
ii						□	//	//
iii						□	//	//
iv						□	//	//
V						□	//	//
(Record additional ARV medications in Comments)								
Has this child ever taken PCP pro	ohylaxis	s 🗆 Ye	es 🗆	No 🗆 U	nknown	Date began /	Date of last	use / /
This child's primary caretaker is		0	•			ative □ 3–Foster/Adoptiv er (specify in comments)		er/Adoptive parent, unrelated

XIII. Comments

Check OOS State:	If pregnant, list EDD (due date)://
DOC #	
Link with e-HARS Stateno(s):	
XIV *Local/Ontional Fields	NIR Status:

STARS:	NIR OP Date://
Other Risks: A B/C D F M V J O	NIR RE Date://
Hepatitis: A B C Other UNKnown	NIR CL Date://
	Initials (3) Source code: